From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY L- 6F FARMER, G. **GLAVERBEL** Department of Intellectual Property WRITTEN OPINION Centre R.& D. PROPRIETE L-00 Rue de l'Aurora, 2 (PCT Rule 66) B-6040 Jumet 3 0 -03- 2001 28,06,2001 BELGIQUE HIELLE Date of mailing 28.03.2001 (day/month/year) REPLY DUE within 3 month(s) Applicant's or agent's file reference from the above date of mailing WO 4223 PCT - VerTisTri Priority date (day/month/year) International application No. International filing date (day/month/year) 20/05/1999 01/05/2000 PCT/EP00/04199 International Patent Classification (IPC) or both national classification and IPC H05B3/86 Applicant **GLAVERBEL** 1. This written opinion is the first drawn up by this International Preliminary Examining Authority. 2. This opinion contains indications relating to the following items: Basis of the opinion ☐ Priority п ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability 111 ☐ Lack of unity of invention Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement ☐ Certain document cited VI VII Certain defects in the international application VIII Certain observations on the international application 3. The applicant is hereby invited to reply to this opinion. See the time limit indicated above. The applicant may, before the expiration of that time limit, When? request this Authority to grant an extension, see Rule 66.2(d). By submitting a written reply, accompanied, where appropriate, by amendments, according to Rule 66.3. How? For the form and the language of the amendments, see Rules 66.8 and 68.9. For an additional opportunity to submit amendments, see Rule 66.4. Also: For the examiner's obligation to consider amendments and/or arguments, see Rule 66.4 bis. For an informal communication with the examiner, see Rule 66.6. If no reply is filed, the international preliminary examination report will be established on the basis of this opinion. The final date by which the international preliminary examination report must be established according to Rule 69.2 is: 20/09/2001. Authorized officer / Examiner Name and mailing address of the international

preliminary examining authority:

European Patent Office D-80298 Munich

Tel. +49 89 2399 - 0 Tx: 523656 epmu d

Fax: +49 89 2399 - 4465

Gols, J

Formalities officer (incl. extension of time limits)

Magliano, D

Telephone No. +49 89 2399 2245



Form PCT/IPEA/408 (cover sheet) (January 1994)

### WRITTEN OPINION

International application No. PCT/EP00/04199

ı.	Bas	is of the opinion								
1.	This opinion has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this opinion as "originally filed".):									
	Description, pages:									
	1-5		as originally filed							
	Clai	ms, No.:								
	1-10	)	as originally filed							
	Dra	wings, sheets:								
	1/2-	2/2	as originally filed							
_			ware all the elements marked shove were available or furnished to this Authority in the							
2.	With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.									
	These elements were available or furnished to this Authority in the following language: , which is:									
		the language of a	translation furnished for the purposes of the international search (under Rule 23.1(b)).							
		the language of pu	ublication of the international application (under Rule 48.3(b)).							
	the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).									
3.	With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:									
☐ contained in the international application in written form.										
		filed together with	the international application in computer readable form.							
		furnished subsequ	ently to this Authority in written form.							
	. 🗆		ently to this Authority in computer readable form.							
	The statement that the subsequently furnished written sequence listing does not go beyond the disclosure the international application as filed has been furnished.									
		The statement that listing has been fu	at the information recorded in computer readable form is identical to the written sequence irnished.							
4.	The	e amendments have	e resulted in the cancellation of:							
		the description,	pages:							
		the claims,	Nos.:							

WRITTEN OPINION					International application No.	PCT/EP00/04199	
		the drawings,	sheets:				
5.		This report has been considered to go beyo	established a ond the disclo	s if (some of) the an sure as filed (Rule 7	nendments had not been made 70.2(c)):	, since they have been	
		(Any replacement she report.)	eet containing	such amendments	must be referred to under item	1 and annexed to this	
6.	Add	ditional observations, if	necessary:				
						٠	
V.	Re	asoned statement un ations and explanatio	der Rule 66.2 ns supportin	?(a)(ii) with regard t ng such statement	to novelty, inventive step or i	ndustrialapplicability;	
1.		tement velty (N)	Claims				
	Inv	entive step (IS)	Claims	1-10 (NO)			
	Ind	ustrial applicability (IA)	Claims				

2. Citations and explanations see separate sheet

### VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted: see separate sheet

### VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made: see separate sheet

Form PCT/IPEA/408 (Boxes I-VIII, Sheet 2) (July 1998)



# WRITTEN OPINION SEPARATE SHEET

International application No. PCT/EP00/04199

V

1. Reference is made to the following documents:

D1: US-A-5 898 407

#### 2. Claim 1:

D1 discloses an automotive glazing panel having an electrically heatable solar control coating layer (7), spaced first and second bus bars (15) adapted to relay electrical power to the coating layer and a window (8), in which the window is positioned adjacent the top edge of the glazing unit, the first bus bar is positioned adjacent a first edge of the glazing panel and the second bus bar is positioned adjacent a second edge of the glazing panel (see column 7, line 8 - column 9, line 33).

The subject-matter of claim 1 differs from what has been disclosed in D1 in that the window is a data transmission window.

This feature relates to the problem of allowing data to be transmitted through a limited area in the glazing panel.

There is no reason why the window (8) as disclosed in D1 could not be used as a window permitting the transmission of (electromagnetic) data therethrough. The window as disclosed even has dimensions which fall in the range as mentioned in the description of the present application. Consequently the skilled person would have no problem (In fact it is straightforward) to use the window as disclosed in D1 for solving the above-mentioned problem. There exist no special technical difficulties to use the disclosed window as a data transmission window and even if such difficulties would exist, claim 1 does not define any technical features relating to such difficulties.

#### 3. Claim 2:

The only difference between claim 1 and claim 2 is that the data transmission

window is positioned adjacent a bottom edge of the glazing panel. The selection of such a position is merely guided by circumstances and (see also the reasoning under point 2 above) does not involve an inventive step.

#### Claims 3 and 4: 4.

The subject-matter of this claim is obvious in view of D1 (see the reasoning under points 2 and 3 above). The feature of claim 4 is known from D1.

#### 5. Claims 5 and 6:

The subject-matter of these claim relates to the data transmission window being partially or substantially surrounded by the coating layer. The underlying problem provided by the subject-matter of claim 5 and 6 is that the heatable solar control coating layer should cover the glazing panel over an area as large as possible. Obviously the coating should not be there where the window is situated. Consequently, the subject-matter of claims 5 and 6 is regarded as a trivial measure.

#### 6. Claim 7:

The subject-matter of claim 7 consists in the selection of a minimum distance (at least 300 mm) between the data transmission window and one of the bus bars. Such a selection is not regarded as inventive since it does not presents unexpected effects or properties and the selection is merely chosen in accordance with the circumstances. Hence, no inventive step is present in the subject-matter of claim 7.

#### 7. Claim 8:

The subject-matter of claim 8 defines the glazing panel as defined in claim 1 or claim 2 in more detail. Most of these details relate to features already disclosed in D1. No inventive step, e.g. can be seen in features specifying that the panel has edges or features relating to the length and running of the busbars relative to the edges.

# WRITTEN OPINION SEPARATE SHEET

Furthermore no inventive step can be attributed to the feature that the data transmission window is adapted to permit electromagnetic data transmission therethrough, in which the data transmission window permits transmission of a greater proportion of incident electromagnetic data than the proportion of incident electromagnetic data transmitted by an equivalently sized portion of the glazing panel provided with the solar coating.

This feature merely expresses that the data transmission through the window is better than compared to the transmission of the data elsewhere through a portion of the glazing panel, the portion being of the same size than that of the window. Such a feature is self-evident, especially when the window is not covered by the solar control coating layer (as is also the case in D1)

Consequently, the subject-matter of claim 8 does not involve an inventive step (see also the reasoning under point 2 which is valid for claim 8 as well).

#### 8. Claim 9:

D1 discloses a method of controlling heat dissipation over at least part of the surface area of an automotive glazing panel. In view of the reasoning under point 2, no inventive step can be attributed to the subject-matter of claim 9.

#### 9. Claim 10:

The feature of claim 1 is regarded as a trivial feature in view of D1.

- 10. It is not at present apparent which part of the application could serve as a basis for a new, allowable claim. Should the applicant nevertheless regard some particular matter as patentable, an independent claim should be filed taking account of Rule 6.3(b) PCT. The applicant should also indicate in the letter of reply the difference of the subject-matter of the new claim vis-à-vis the state of the art and the significance thereof.
- 11. In order to facilitate the examination of the conformity of the amended application with the requirements of Article 34(2)(b) PCT, the applicant is requested to clearly

Form PCT/Separate Sheet/408 (Sheet 3) (EPO-April 1997)

identify the amendments carried out, no matter whether they concern amendments by addition, replacement or deletion, and to indicate the passages of the application as filed on which these amendments are based (see also Rule 66.8(a) PCT).

It is considered appropriate to submit these indications in handwritten form on a copy of the relevant parts of the application as filed.

#### VII

- 1. It is not clear what is meant by the general configuration as mentioned in lines 19 21 of page 4. The frequent use of the slashes "/" obscures the reading of these lines and it cannot be understood what is meant here.
- 2. Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the document D1 is not mentioned in the description, nor is this document identified therein.
- 3. According to the requirements of Rule 11.13(I) reference signs not appearing in the description shall not appear in the drawings, and vice versa. This requirement is not met in view of the reference sign "2" in line 22 of page 4.

#### VIII

- 1. It is note clear which "arrangement" is meant in claim 9. No "arrangement" has been defined in the previous claims. However, if the arrangement refers to the glazing panel (it is assumed that this is presently the case) then the claim should mention this accordingly.
- 2. The features of the claims are not provided with reference signs placed in parentheses (Rule 6.2(b) PCT).

From the

INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

FARMER, G. **GLAVERBEL** Department of Intellectual Property Centre R.& D. Rue de l'Aurora, 2 B-6040 Jumet

**PROPRIETE** 0 3 -09- 2001 INDUSTRIELLE

NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY **EXAMINATION REPORT** 

(PCT Rule 71.1)

Date of mailing

(day/month/year)

30.08.2001

Applicant's or agent's file reference

WO 4223 PCT - VERTICITE

IMPORTANT NOTIFICATION

International application No. PCT/EP00/04199

International filing date (day/month/year) 01/05/2000

Priority date (day/month/year)

20/05/1999

Applicant

**GLAVERBEL** 

**BELGIQUE** 

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

#### 4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

TARE WO-PCT: PROPERTY COM INT. PRELIEVE FILEPT (TET/IDER 1446)

Name and mailing address of the IPEA/

Authorized officer

Schuster-Kaechele, W

Tel.+49 89 2399-2281

European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d

Fax: +49 89 2399 - 4465

Form PCT/IPEA/416 (July 1992)



## **PCT**

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's	file reference		See No	tification of Transmittal of International				
WO 4223 PCT		FOR FURTHER AC		nary Examination Report (Form PCT/IPEA/416)				
International applicati	ion No.	International filing date (a	ay/month/year)	Priority date (day/month/year)				
PCT/EP00/04199	9	01/05/2000		20/05/1999				
International Patent C H05B3/86	Classification (IPC) or na	tional classification and IPC						
GLAVERBEL								
and is transmi	<ol> <li>This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</li> </ol>							
2. This REPORT	consists of a total of	7 sheets, including this	cover sheet.					
been ame (see Rule	This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).  These annexes consist of a total of sheets.							
			,					
3. This report co	ntains indications rela	iting to the following iten	ns:**					
l ⊠ B	asis of the report		•					
	riority	•						
1 .	•	pinion with regard to no	velty, inventive st	ep and industrial applicability				
l	ack of unity of invention							
		nder Article 35(2) with re ons suporting such state		nventive step or industrial applicability;				
VI □ C	ertain documents cite	edi						
VII ⊠ C	ertain defects in the i	nternational application						
· VIII ⊠ C	ertain observations of	n the international applic	ation					
Date of submission of the demand  Date of completion of this report								
12/08/2000	·		30.08.2001	·				
preliminary examinin	•	al .	Authorized officer	September 1983 Mi Cricket				
D-8029	an Patent Office 8 Munich 9 89 2399 - 0 Tx: 52365	6 epmu d	Gols, J					
Fax: +49 89 2399 - 4465			Telephone No. +4	9 89 2399 2616				

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/EP00/04199

•	Basis of the report								
i.	the and	th regard to the <b>elements</b> of the international application (Replacement sheets which have been furnished to be receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)): escription, pages:							
	1-5		as originally filed						
	Clai	ms, No.:							
	1-10	)	as originally filed						
	Dra	wings, sheets:							
	1/2-	2/2	as originally filed						
2.	With	With regard to the <b>language</b> , all the elements marked above were available or furnished to this Authority in the anguage in which the international application was filed, unless otherwise indicated under this item.							
	The	se elements were	available or furnished to this Authority in the following language: , which is:						
		the language of a	translation furnished for the purposes of the international search (under Rule 23.1(b)).						
		the language of pr	ublication of the international application (under Rule 48.3(b)).						
		the language of a 55.2 and/or 55.3).	translation furnished for the purposes of international preliminary examination (under Rule						
3.	Witl	n regard to any nuc rnational prelimina	cleotide and/or amino acid sequence disclosed in the international application, the ry examination was carried out on the basis of the sequence listing:						
		contained in the ir	nternational application in written form.						
		filed together with	the international application in computer readable form.						
		furnished subsequ	uently to this Authority in written form.						
	furnished subsequently to this Authority in computer readable form.								
		The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.							
		The statement the listing has been for	at the information recorded in computer readable form is identical to the written sequence urnished.						
4.	The	amendments have	e resulted in the cancellation of:						
		the description,	pages:						
٠		the claims,	Nos.:						

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/EP00/04199

		the drawings,	sheets:		
5.					ome of) the amendments had not been made, since they have beer as filed (Rule 70.2(c)):
		(Any replacement shi report.)	eet contair	ning such	amendments must be referred to under item 1 and annexed to this
6.	Add	fitional observations, if	f necessar	y:	
٧.		asoned statement un ations and explanatio			ith regard to novelty, inventive step or industrial applicability; the statement
1.	Sta	tement			
	Nov	velty (N)	Yes: No:	Claims Claims	1-10
	Inve	entive step (IS)	Yes: No:	Claims Claims	1-10
	Ind	ustrial applicability (IA)	Yes: No:	Claims Claims	1-10
2.		ations and explanation e separate sheet	s		

### VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted: see separate sheet

## VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made: see separate sheet

# INTERNATIONAL PRELIMINARY International application No. PCT/EP00/04199 EXAMINATION REPORT - SEPARATE SHEET

V

1. Reference is made to the following documents:

D1: US-A-5 898 407

#### 2. Claim 1:

D1 discloses an automotive glazing panel having an electrically heatable solar control coating layer (7), spaced first and second bus bars (15) adapted to relay electrical power to the coating layer and a window (8), in which the window is positioned adjacent the top edge of the glazing unit, the first bus bar is positioned adjacent a first edge of the glazing panel and the second bus bar is positioned adjacent a second edge of the glazing panel (see column 7, line 8 - column 9, line 33).

The subject-matter of claim 1 differs from what has been disclosed in D1 in that the window is a data transmission window.

This feature relates to the problem of allowing data to be transmitted through a limited area in the glazing panel.

There is no reason why the window (8) as disclosed in D1 could not be used as a window permitting the transmission of (electromagnetic) data therethrough. The window as disclosed even has dimensions which fall in the range as mentioned in the description of the present application. Consequently the skilled person would have no problem (In fact it is straightforward) to use the window as disclosed in D1 for solving the above-mentioned problem. There exist no special technical difficulties to use the disclosed window as a data transmission window and even if such difficulties would exist, claim 1 does not define any technical features relating to such difficulties.

#### 3. Claim 2:

The only difference between claim 1 and claim 2 is that the data transmission

window is positioned adjacent a bottom edge of the glazing panel. The selection of such a position is merely guided by circumstances and (see also the reasoning under point 2 above) does not involve an inventive step.

#### 4. Claims 3 and 4:

The subject-matter of this claim is obvious in view of D1 (see the reasoning under points 2 and 3 above). The feature of claim 4 is known from D1.

#### 5. Claims 5 and 6:

The subject-matter of these claim relates to the data transmission window being partially or substantially surrounded by the coating layer. The underlying problem provided by the subject-matter of claim 5 and 6 is that the heatable solar control coating layer should cover the glazing panel over an area as large as possible. Obviously the coating should not be there where the window is situated. Consequently, the subject-matter of claims 5 and 6 is regarded as a trivial measure.

#### 6. Claim 7:

The subject-matter of claim 7 consists in the selection of a minimum distance (at least 300 mm) between the data transmission window and one of the bus bars. Such a selection is not regarded as inventive since it does not presents unexpected effects or properties and the selection is merely chosen in accordance with the circumstances. Hence, no inventive step is present in the subject-matter of claim 7.

#### 7. Claim 8:

The subject-matter of claim 8 defines the glazing panel as defined in claim 1 or claim 2 in more detail. Most of these details relate to features already disclosed in D1. No inventive step, e.g. can be seen in features specifying that the panel has edges or features relating to the length and running of the busbars relative to the edges.

Furthermore no inventive step can be attributed to the feature that the data transmission window is adapted to permit electromagnetic data transmission therethrough, in which the data transmission window permits transmission of a greater proportion of incident electromagnetic data than the proportion of incident electromagnetic data transmitted by an equivalently sized portion of the glazing panel provided with the solar coating.

This feature merely expresses that the data transmission through the window is better than compared to the transmission of the data elsewhere through a portion of the glazing panel, the portion being of the same size than that of the window. Such a feature is self-evident, especially when the window is not covered by the solar control coating layer (as is also the case in D1)

Consequently, the subject-matter of claim 8 does not involve an inventive step (see also the reasoning under point 2 which is valid for claim 8 as well).

#### 8. Claim 9:

D1 discloses a method of controlling heat dissipation over at least part of the surface area of an automotive glazing panel. In view of the reasoning under point 2, no inventive step can be attributed to the subject-matter of claim 9.

#### 9. Claim 10:

The feature of claim 1 is regarded as a trivial feature in view of D1.

#### VII

- It is not clear what is meant by the general configuration as mentioned in lines 19 of page 4. The frequent use of the slashes "/" obscures the reading of these
   lines and it cannot be understood what is meant here.
- 2. Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the document D1 is not mentioned in the description, nor is this document identified therein.

# INTERNATIONAL PRELIMINARY International application No. PCT/EP00/04199 EXAMINATION REPORT - SEPARATE SHEET

3. According to the requirements of Rule 11.13(I) reference signs not appearing in the description shall not appear in the drawings, and vice versa. This requirement is not met in view of the reference sign "2" in line 22 of page 4.

#### VIII

- 1. It is note clear which "arrangement" is meant in claim 9. No "arrangement" has been defined in the previous claims. However, if the arrangement refers to the glazing panel (it is assumed that this is presently the case) then the claim should have mentioned this accordingly.
- 2. The features of the claims are not provided with reference signs placed in parentheses (Rule 6.2(b) PCT).

## **PCT**

PECD Q	3 SEP 2001	
WIPO	PCT	

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference		See Notification of Transmittal of International						
WO 4223 PCT	FOR FURTHER ACTION	Preliminary Examination Report (Form PCT/IPEA/416)						
International application No.	International filing date (day/mont	h/year) Priority date (day/month/year)						
PCT/EP00/04199	01/05/2000	20/05/1999						
International Patent Classification (IPC) or national classification and IPC H05B3/86								
Applicant								
GLAVERBEL								
This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.								
2. This REPORT consists of a total	of 7 sheets, including this cover s	sheet.						
been amended and are the b		ne description, claims and/or drawings which have containing rectifications made before this Authority ions under the PCT).						
These annexes consist of a total	of sheets.							
3. This report contains indications re	elating to the following items:							
I ⊠ Basis of the report								
II 🗆 Priority								
III   Non-establishment of	opinion with regard to novelty, in	ventive step and industrial applicability						
IV ☐ Lack of unity of inven	tion	n						
	under Article 35(2) with regard to tions suporting such statement	novelty, inventive step or industrial applicability;						
VI   Certain documents of	ited							
VII   Certain defects in the	international application	•						
VIII 🛛 Certain observations	on the international application							
Date of submission of the demand	Date of	completion of this report						
12/08/2000	30.08.2	001						
Name and mailing address of the internation preliminary examining authority:	nal Authori.	zed officer						
European Patent Office D-80298 Munich	Gols,	J (Sparkers)						
Tel. +49 89 2399 - 0 Tx: 5236 Fax: +49 89 2399 - 4465	'	one No. +49 89 2399 2616						



International application No. PCT/EP00/04199

### I. Basis of the report

1.	the and	With regard to the <b>elements</b> of the international application ( <i>Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):  Description, pages:</i>							
	1-5		as originally filed						
	Cla	ims, No.:							
	1-10	0	as originally filed						
	Dra	wings, sheets:							
	1/2-	2/2	as originally filed						
2.			guage, all the elements marked above were available or furnished to this Authority in the international application was filed, unless otherwise indicated under this item.						
	The	ese elements were available or furnished to this Authority in the following language: , which is:							
		the language of a	translation furnished for the purposes of the international search (under Rule 23.1(b)).						
		the language of pu	ublication of the international application (under Rule 48.3(b)).						
		the language of a 55.2 and/or 55.3).	translation furnished for the purposes of international preliminary examination (under Rule						
3.			eleotide and/or amino acid sequence disclosed in the international application, the y examination was carried out on the basis of the sequence listing:						
	☐ contained in the international application in written form.								
		filed together with	the international application in computer readable form.						
		furnished subsequ	ently to this Authority in written form.						
		furnished subsequently to this Authority in computer readable form.							
			t the subsequently furnished written sequence listing does not go beyond the disclosure in pplication as filed has been furnished.						
		The statement tha listing has been fu	t the information recorded in computer readable form is identical to the written sequence rnished.						
4.	The	amendments have	e resulted in the cancellation of:						
		the description,	pages:						
		the claims,	Nos.:						



International application No. PCT/EP00/04199

		the drawings,	sheets:							
5.		This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):								
		(Any replacement sh report.)	eet contair	ning such	a amendments must be referred to under item 1 and annexed to this					
6.	Add	litional observations, i	f necessar	y:						
V.	. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement									
1.	Stat	tement								
	Nov	velty (N)	Yes: No:	Claims Claims	1-10					
	Inve	entive step (IS)	Yes: No:	Claims Claims	1-10					
	Indi	ustrial applicability (IA)	Yes: No:	Claims Claims	1-10					
2.	Cita	ations and explanation	s							

#### VII. Certain defects in the international application

see separate sheet

The following defects in the form or contents of the international application have been noted: see separate sheet

### VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made: see separate sheet-

### INTERNATIONAL PRELIMINARY **EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/EP00/04199

٧

Reference is made to the following documents: 1.

D1: US-A-5 898 407

#### 2. Claim 1:

D1 discloses an automotive glazing panel having an electrically heatable solar control coating layer (7), spaced first and second bus bars (15) adapted to relay electrical power to the coating layer and a window (8), in which the window is positioned adjacent the top edge of the glazing unit, the first bus bar is positioned adjacent a first edge of the glazing panel and the second bus bar is positioned adjacent a second edge of the glazing panel (see column 7, line 8 - column 9, line 33).

The subject-matter of claim 1 differs from what has been disclosed in D1 in that the window is a data transmission window.

This feature relates to the problem of allowing data to be transmitted through a limited area in the glazing panel.

There is no reason why the window (8) as disclosed in D1 could not be used as a window permitting the transmission of (electromagnetic) data therethrough. The window as disclosed even has dimensions which fall in the range as mentioned in the description of the present application. Consequently the skilled person would have no problem (In fact it is straightforward) to use the window as disclosed in D1 for solving the above-mentioned problem. There exist no special technical difficulties to use the disclosed window as a data transmission window and even if such difficulties would exist, claim 1 does not define any technical features relating to such difficulties.

#### 3. Claim 2:

The only difference between claim 1 and claim 2 is that the data transmission

### **EXAMINATION REPORT - SEPARATE SHEET**

window is positioned adjacent a bottom edge of the glazing panel. The selection of such a position is merely guided by circumstances and (see also the reasoning under point 2 above) does not involve an inventive step.

#### Claims 3 and 4: 4.

The subject-matter of this claim is obvious in view of D1 (see the reasoning under points 2 and 3 above). The feature of claim 4 is known from D1.

#### Claims 5 and 6: 5.

The subject-matter of these claim relates to the data transmission window being partially or substantially surrounded by the coating layer. The underlying problem provided by the subject-matter of claim 5 and 6 is that the heatable solar control coating layer should cover the glazing panel over an area as large as possible. Obviously the coating should not be there where the window is situated. Consequently, the subject-matter of claims 5 and 6 is regarded as a trivial measure.

#### Claim 7: 6.

The subject-matter of claim 7 consists in the selection of a minimum distance (at least 300 mm) between the data transmission window and one of the bus bars. Such a selection is not regarded as inventive since it does not presents unexpected effects or properties and the selection is merely chosen in accordance with the circumstances. Hence, no inventive step is present in the subject-matter of claim 7.

#### 7. Claim 8:

The subject-matter of claim 8 defines the glazing panel as defined in claim 1 or claim 2 in more detail. Most of these details relate to features already disclosed in D1. No inventive step, e.g. can be seen in features specifying that the panel has edges or features relating to the length and running of the busbars relative to the edges.



**EXAMINATION REPORT - SEPARATE SHEET** 

Furthermore no inventive step can be attributed to the feature that the data transmission window is adapted to permit electromagnetic data transmission therethrough, in which the data transmission window permits transmission of a greater proportion of incident electromagnetic data than the proportion of incident electromagnetic data transmitted by an equivalently sized portion of the glazing panel provided with the solar coating.

This feature merely expresses that the data transmission through the window is better than compared to the transmission of the data elsewhere through a portion of the glazing panel, the portion being of the same size than that of the window. Such a feature is self-evident, especially when the window is not covered by the solar control coating layer (as is also the case in D1)

Consequently, the subject-matter of claim 8 does not involve an inventive step (see also the reasoning under point 2 which is valid for claim 8 as well).

#### Claim 9: 8.

D1 discloses a method of controlling heat dissipation over at least part of the surface area of an automotive glazing panel. In view of the reasoning under point 2, no inventive step can be attributed to the subject-matter of claim 9.

#### Claim 10: 9.

The feature of claim 1 is regarded as a trivial feature in view of D1.

#### VII

- It is not clear what is meant by the general configuration as mentioned in lines 19 -1. 21 of page 4. The frequent use of the slashes "/" obscures the reading of these lines and it cannot be understood what is meant here.
- Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art 2. disclosed in the document D1 is not mentioned in the description, nor is this document identified therein.

# INTERNATIONAL PRELIMINARY

International application No. PCT/EP00/04199

**EXAMINATION REPORT - SEPARATE SHEET** 

3. According to the requirements of Rule 11.13(I) reference signs not appearing in the description shall not appear in the drawings, and vice versa. This requirement is not met in view of the reference sign "2" in line 22 of page 4.

#### VIII

- It is note clear which "arrangement" is meant in claim 9. No "arrangement" has 1. been defined in the previous claims. However, if the arrangement refers to the glazing panel (it is assumed that this is presently the case) then the claim should have mentioned this accordingly.
- 2. The features of the claims are not provided with reference signs placed in parentheses (Rule 6.2(b) PCT).

### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

## (19) World Intellectual Property Organization International Bureau



## 

## (43) International Publication Date 30 November 2000 (30.11.2000)

#### PCT

## (10) International Publication Number WO 00/72634 A1

(51) International Patent Classification<sup>7</sup>: H01Q 1/12

H05B 3/86,

(21) International Application Number: PCT/EP00/04199

(22) International Filing Date: 1 May 2000 (01.05.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) **Priority Data:** 99201566.9

20 May 1999 (20.05.1999) EP

- (71) Applicant (for all designated States except US): GLAVERBEL [BE/BE]; Chaussée de la Hulpe, 166, B-1170 Brussels (Watermael-Boitsfort) (BE).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): DEGAND, Etienne [BE/BE]; Glaverbel - Centre R. & D., Rue de l'Aurore, 2, B-6040 Jumet (BE). MAZA, Christophe [FR/FR]; Glaverbel - Centre R. & D., Rue de l'Aurore, 2, B-6040 Jumet (BE).


- (74) Agents: FARMER, Guy et al.; Glaverbel, Intellectual Property Dept., Centre R & D, Rue de l'Aurore, 2, B-6040 Jumet (BE).
- (81) Designated States (national): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

#### Published:

With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: AN AUTOMOTIVE GLAZING PANELWITH SOLAR CONTROL COATING COMPRISING A DATA TRANSMISSION WINDOW



(57) Abstract: An automotive glazing panel has an electrically heatable solar control coating layer, spaced first and second bus bars positioned respectively adjacent a first and a second side edge of the glazing panel and adapted to relay electrical power to the coating layer and a data transmission window positioned adjacent the top edge of the glazing. This arrangement may be used to alleviate or reduce perturbations to heating of the glazing panel caused by the presence of the data transmission window.



000/72634 A1

,

WO 00/72634 PCT/EP00/04199

5

10

15

20

25

30

35

1

AN AUTOMOTIVE GLAZING PANELWITH SOLAR CONTROL COATING COMPRISING A DATA TRANSMI

This invention relates to glazing panels and particularly but not exclusively to vehicle windscreens provided with electrically heatable coating stacks.

Whilst the primary role of a vehicle windscreen is to permit good visibility for a driver, various additional features may be incorporated into its design. Sensors or emitters arranged inside the vehicle may rely on electromagnetic data transmission through the windscreen. For example, passage of an electromagnetic data signal for automatic payment at the toll barriers used on the French motorway system may pass through the windscreen. It is also known to provide a window in the band of black enamel around the periphery of the windscreen, usually along the bottom edge of the windscreen, through which a vehicle identification number or chassis number, often in the form of a bar code, can be read from the outside of the vehicle.

US Patent N° 4,668,270 (Ford Motor Company) describes a car windscreen having an electrically heatable coating layer used for defrosting, de-iceing and/or de-misting. The heatable coating, which is laminated between the two glass sheets of the windscreen, is supplied with electrical power via first and second bus bars which extend respectively along the top and bottom edges of the windscreen, each bus bar being silk screen printed on the glass in a silver ceramic material. The heatable coating is a multilayer coating consisting of layers of zinc oxide and silver formed by magnetron sputtering.

Coating layers are well know not only to provide an electrically heatable element but also to modify the optical properties of the glass, particularly to reduce the proportion of incident solar energy which is transmitted through the glass whilst allowing passage of sufficient visible light to ensure good visibility. This can reduce overheating of the interior of the vehicle in summer and is commonly achieved by reflection of incident solar radiation in the infra-red portion of the spectrum. EP378917A (Nippon Sheet Glass Co.) discloses such coating layers. The term solar control coating layer as used herein refers to a coating layer which increases the selectivity of the glazing panel i.e. the ratio of the proportion of incident visible radiation transmitted through the glazing to the proportion of incident solar energy transmitted through the glazing. Many solar control coating layers have the intrinsic property of being electrically heatable.

When a solar control coating is provided on a windscreen it is advantageous for the solar control coating to cover the entire light transmitting portion of the windscreen so as to reflect as much of the incident solar energy as

15

20

25

30

35

possible. A data transmission window in the form of a gap or hole may be provided in a solar reflecting coating layer specifically to allow the passage of electromagnetic waves through that portion of the glazing, for example to a sensor or emitter. One example of this, as referred to above, is to allow passage of an electromagnetic data signal for automatic payment at the toll barriers used on the French motorway system. The principle is nevertheless applicable to allowing passage of any electromagnetic data transmission signal through a glazing panel, particularly using infra-red wavelengths. The term data transmission window as used herein refers to a portion of the surface area of a glazing adapted to permit electromagnetic data transmission therethrough.

According to one aspect, the present invention provides a glazing panel as defined in Claim 1.

According to another aspect, the present invention provides a glazing panel as defined in Claim 2.

The invention allows a heatable solar control coating layer to be combined with a data transmission window in a particularly advantageous way.

The data transmission window may be substantially a four-sided polygon. Preferably, the data transmission window is not electrically coupled to an electrical element.

In one form, the data transmission window may have at least three sides surrounded by the solar control coating layer.

For aesthetic reasons and so as not to impair the driver's vision the bus bars of a heatable coating layer of a car windscreen are usually arranged out of view. It has been common practice for bus bars to be arranged along the top and bottom edges (i.e. the longer two edges of a car windscreen) hidden from the inside of the car by the dashboard and the interior bodywork and hidden from the outside by a band of black enamel (which may have the additional role of blocking solar radiation to prevent deterioration of underlying glue securing the windscreen to the car bodywork). This arrangement has been used to provide a suitable distance and thus an appropriate electrical resistance between the bus bars so as to allow a suitable electrical power to be dissipated in the coating layer to provide the desired heating effect.

Data transmission windows in solar energy reflecting windscreens have generally been arranged towards the top edge of the windscreen, roughly centrally between the two side edges. This may facilitate orientation and positioning of data transmitting and/or receiving instruments.

WO 00/72634

5

10

20

25

30

35

The inventors have appreciated that simply combining these two known techniques is undesirable as positioning of the data transmission window in close proximity to the upper bus bar results in a significant gap or non-conducting portion adjacent to the bus bar and increased risk of provoking uneven heating and undesirable hot spots in the coating layer.

This problem may be resolved by the invention without requiring repositioning of the data transmission window or fundamental redesigning of either this or the bus bars.

The combination of the data transmission window with the bus bars arranged along the side edges of the windscreen may significantly reduce the perturbation to the flow of electrical current in the coating layer caused by the presence of the data transmission window.

In prior art arrangements having a substantially horizontal bus bar arranged along the top edge of a windscreen, this bus bar must either be connected to an electrical supply by a connector at the top edge of the windscreen or the bus bar must be brought down one side of the windscreen (avoiding contact with the electrically conducting coating layer) so as to allow arrangement of an electrical connector at the bottom edge of the windscreen. Arranging the bus bars adjacent to the side edges of the glazing may help to avoid this problem by allowing for connection at or adjacent to the bottom edge of the windscreen.

Arrangement of the data transmission window in an elongate form may facilitate positioning of data transmitting and/or receiving instruments and passage of data signals. Arranging the elongation along the top or bottom edge of the glazing panel in combination with the defined bus bar arrangement enables a desired surface area for the data transmission window to be selected whilst reducing the width of the interruption in the coating layer between the two bus bars. This may be used to minimise the perturbation of current flow in the coating layer when electrically heated.

The data transmission window preferably has a width comprised between 50 mm and 100 mm, and a length comprised between 80 mm and 210 mm.

The data transmission window may have a width of at least 50 mm, 60 mm, 70 mm, 80 mm, 90 mm or 100 mm. It may have a width of less than 300 mm, 250 mm, 200 mm, 150 mm or 100 mm.

The data transmission window may have a length of at least 80 mm, 100 mm, 120 mm, 140 mm, 160 mm, 180 mm or 210 mm. It may have a length of less than 400 mm, 350 mm, 300 mm, 250 mm or 210 mm.

10

15

20

25

30

35

According to another aspect, the present invention provides a glazing panel as defined in Claim 8.

According to a further aspect, the present invention provides a method of controlling heat dissipation over at least part of the surface area of an automotive glazing panel as defined in Claim 9.

An embodiment of the invention will now be described, by way of example only, with reference to Fig 1 and Fig 2, both of which are expanded schematic views of a car windscreen.

Windscreen 10 illustrated in Fig 1 comprises an inner sheet of glass 11 laminated to an outer sheet of glass 13 by means of a sheet of pvb 12.

The windscreen is substantially trapezial in shape having a top edge 21, a longer bottom edge 23 substantially parallel thereto and side edges 22, 24. The windscreen has a spherical, curved configuration so that it is curved both along an axis parallel to the top edge 21 and along an axis perpendicular to the top edge 21 (for ease of representation the curvature of the windscreen is not shown).

An electrically conducting solar control layer 25 is positioned between the inner and outer sheets of glass 11,13. Typically this is a multi-layer coating having the general configuration antireflective dielectric layer/ silver containing layer/ antireflective dielectric layer/ silver containing layer/ antireflective dielectric layer deposited by sputtering. The coating layer may be carried for example on the inner face of the outer sheet of glass 13 (i.e. face 2) or on a supporting film, for example of PET.

The coating layer 25 is spaced from the external periphery of the windscreen by a non-conducting peripheral band (not shown) provided in this example by a band in which the coating layer has either not been deposited or has been removed. This prevents the electrically conductive coating extending to the very edge of the windscreen and may also reduce the risk of corrosion of the coating layer.

A data transmission window 27 is provided as part of the glazing panel within the coating layer. In the example of Fig 1, the data transmission window 27 is partially surrounded by the coating layer 25 but in other embodiments it may be entirely surrounded. The data transmission window may be formed by removing a portion of the coating layer or by masking when the coating layer is deposited.

Electrical power is supplied to the coating layer via a first bus bar 31 arranged in contact with the coating layer 25 adjacent to the first side edge 22 of the windscreen and a second bus bar 32 arranged in contact with the coating layer 25

15

adjacent to the second side edge 23 of the windscreen. The bus bars may be formed in any suitable manner, for example by silk screen printing of a conducting enamel material underneath or on top of the coating layer or by means of conducting tape or conductive strips, for example conductive copper or tinned copper strips. Connectors (not shown) for facilitating connection of the bus bars to a car's electrical circuit may protrude from the glazing and may be arranged adjacent to each other (not shown).

In Fig 2, the data transmission window 27 is entirely surrounded by the coating layer 25.

Each of these arrangements may be used to allow the coating layer to cover at least the majority of the light transmitting surface of the windscreen without provoking significant perturbation in the heating arrangement of the coating layer.

Whilst the invention has been particularly described in relation to a windscreen it will be understood that it is applicable to other automotive glazing panels, for example, side windows, rear windows and sunroofs.

### **Claims**

- 1. An automotive glazing panel having an electrically heatable solar control coating layer, spaced first and second bus bars adapted to relay electrical power to the coating layer and a data transmission window, in which the data transmission window is positioned adjacent the top edge of the glazing panel, the first bus bar is positioned adjacent a first side edge of the glazing panel and the second bus bar is positioned adjacent a second side edge of the glazing panel.
- An automotive glazing panel having an electrically heatable solar control coating layer, spaced first and second bus bars adapted to relay electrical power to the coating layer and a data transmission window, in which the data transmission window is positioned adjacent the bottom edge of the glazing panel, the first bus bar is positioned adjacent a first side edge of the glazing panel and the second bus bar is positioned adjacent a second side edge of the glazing panel.
- 3. An automotive glazing panel in accordance with claim 1 or claim 2, in which the data transmission window is substantially elongate in shape with its elongation stretching substantially parallel to the top and/or bottom edge of the glazing panel.
- 4. An automotive glazing panel in accordance with any preceding claim in which the glazing panel is an automotive windscreen.
  - 5. An automotive glazing panel in accordance with any preceding claim in which the data transmission window is at least partially surrounded by the coating layer.
  - An automotive glazing panel in accordance with any preceding claim in which the data transmission window is substantially surrounded by the coating layer.
- An automotive glazing panel in accordance with any preceding claim in which the minimum distance between the periphery of the data transmission window and either of the first or second bus bars is at least 300 mm.

10

15

20

8. A glazing panel

in which the glazing panel perimeter comprises at least a top edge, a bottom edge and first and second side edges, the bottom edge being longer than the top edge and substantially parallel thereto and each of the side edges being substantially the same length as each other and shorter than the top edge,

in which the glazing panel is provided with an electrically heatable solar control coating layer over at least part of its surface area,

in which the glazing panel is provided with a data transmission window adapted to permit electromagnetic data transmission therethrough, in which the data transmission window permits transmission of a greater proportion of incident electromagnetic data than the proportion of incident electromagnetic data transmitted by an equivalently sized portion of the glazing panel provided with the solar control coating,

in which the data transmission window is at least in part surrounded by the coating layer and is positioned adjacent to either the top edge or the bottom edge of the glazing panel,


in which the first bus bar is arranged substantially adjacent to and extends substantially along the first side edge of the glazing panel and in which the second bus bar is arranged substantially adjacent to and extends substantially along the second side edge of the glazing panel.

- A method of controlling heat dissipation over at least part of the surface area
   of an automotive glazing panel comprising use of an arrangement in accordance with any preceding claim.
- 10. A method in accordance with Claim 9, in which heat dissipation is controlled to be substantially even over the majority of the surface area of the glazing panel.

WO 00/72634 PCT/EP00/04199

1/2


Fig 1



5

2/2

Fig 2



onal Application No PCT/EP 00/04199

A. CLA	SSIFIC	ATION OF	SUBJECT	MATTER
IPC	7	ation of H05B3/	86	H01Q1/12

According to International Patent Classification (IPC) or to both national classification and IPC

#### B. FIELDS SEARCHED

 $\begin{array}{ll} \mbox{Minimum documentation searched (classification system followed by classification symbols)} \\ \mbox{IPC 7} & \mbox{H05B} & \mbox{H01Q} \end{array}$ 

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, PAJ, INSPEC, COMPENDEX

- 1	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 012 255 A (BECKER) 30 April 1991 (1991-04-30) the whole document	1,2,8
A	DE 195 13 263 A (LINDENMEIER) 10 October 1996 (1996-10-10) the whole document	1,2,8
A	US 5 898 407 A (PAULUS) 27 April 1999 (1999-04-27) the whole document	1,2,8
A	EP 0 726 232 A (SAINT-GOBAIN) 14 August 1996 (1996-08-14) the whole document	1,2,8
	-/	

Y Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date  "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  "O" document referring to an oral disclosure, use, exhibition or other means  "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  "&" document member of the same patent family
Date of the actual completion of the international search 7 September 2000	Date of mailing of the international search report  13/09/2000
Name and mailing address of the ISA  European Patent Office, P.B. 5818 Patentiaan 2  NL – 2280 HV Rijswijk  Tel. (+31-70) 340–2040, Tx. 31 651 epo ni, Fax: (+31-70) 340–3016	Authorized officer  Taccoen, J-F

1



PCT/EP 00/04199

	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	Relevant to claim No.
Category °	Citation of document, with indication, where appropriate, of the relevant passages	nerevant to daim No.
A	EP 0 378 917 A (NIPPON SHEET GLASS) 25 July 1990 (1990-07-25) cited in the application	
A	US 4 668 270 A (RAMUS) 26 May 1987 (1987-05-26) cited in the application	

1

ınai Application No PCT/EP 00/04199

## Information on patent family members

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
US 5012255	Α	30-04-1991	DE DE	3808401 A 58904538 D	21-09-1989 08-07-1993
			EP ES	0332898 A 2043914 T	20-09-1989 01-01-1994
DE 19513263	Α	10-10-1996	WO EP	9631918 A 0764350 A	10-10-1996 26-03-1997
		27 04 1000	 DE	19532431 A	06-03-1997
US 5898407	Α	27-04-1999	AT	193619 T	15-06-2000
			DE Ep	59605349 D 0760537 A	06-07-2000 05-03-1997
			JP	9175166 A	08-07-1997
EP 0726232	Α	14-08-1996	DE	19503892 C	24-10-1996
			DE DE	69601819 D 69601819 T	29-04-1999 21-10-1999
			ES JP	2132847 T 8250915 A	16-08-1999 27-09-1996
			US	5867129 A	02-02-1999
EP 0378917	Α	25-07-1990	JP	2258655 A	19-10-1990
			CA	2005634 A	16-06-1990 
US 4668270	Α	26-05-1987	CA	1275563 A	30-10-1990





(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference  WO 4223 PCT  FOR FURTHER see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.								
International application No.	International filing date (day)	/month/year)	(Earliest) Priority Date (day/month/year)					
PCT/EP 00/04199	01/05/2000		20/05/1999					
Applicant								
GLAVERBEL								
This International Search Report has bee according to Article 18. A copy is being tr			ority and is transmitte	ed to the applicant				
	of a total of3 a copy of each prior art docur	sheets. ment cited in this	report.					
Basis of the report     a. With regard to the language, the language in which it was filed, un			is of the international	application in the				
the international search v Authority (Rule 23.1(b)).	vas carried out on the basis of	a translation of th	ne international applic	cation furnished to this				
b. With regard to any <b>nucleotide a</b> was carried out on the basis of th contained in the internati			ternational application	n, the international search				
I ⊨	ernational application in compu		ı.					
furnished subsequently to	this Authority in written form.							
furnished subsequently to	this Authority in computer rea	adble form.						
the statement that the su international application a	bsequently furnished written se as filed has been furnished.	equence listing do	oes not go beyond th	e disclosure in the				
the statement that the inf furnished	ormation recorded in computer	r readable form is	identical to the writte	en sequence listing has been				
I 🖃 '	ind unsearchable (See Box I)							
3. Unity of invention is lac	eking (see Box II).							
4. With regard to the <b>title,</b>								
the text is approved as s	ubmitted by the applicant.							
X the text has been establi AN AUTOMOTIVE GLAZING SSION WINDOW	shed by this Authority to read a PANELWITH SOLAR C		ATING COMPRIS	SING A DATA TRANSMI				
5. With regard to the abstract,								
the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.								
6. The figure of the <b>drawings</b> to be pub		re No.	1_	<del> </del>				
as suggested by the app				None of the figures.				
because the applicant fa because this figure bette	led to suggest a figure. r characterizes the invention.							

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 H05B3/86 H01Q1/12

According to International Patent Classification (IPC) or to both national classification and IPC

#### **B. FIELDS SEARCHED**

 $\begin{array}{ll} \mbox{Minimum documentation searched (classification system followed by classification symbols)} \\ \mbox{IPC 7} & \mbox{H05B} & \mbox{H01Q} \end{array}$ 


Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, PAJ, INSPEC, COMPENDEX

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Α	US 5 012 255 A (BECKER) 30 April 1991 (1991-04-30) the whole document	1,2,8
Α	DE 195 13 263 A (LINDENMEIER) 10 October 1996 (1996-10-10) the whole document	1,2,8
Α	US 5 898 407 A (PAULUS) 27 April 1999 (1999-04-27) the whole document	1,2,8
Α	EP 0 726 232 A (SAINT-GOBAIN) 14 August 1996 (1996-08-14) the whole document	1,2,8
	-/	

X Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
<ul> <li>Special categories of cited documents:</li> <li>"A" document defining the general state of the art which is not considered to be of particular relevance</li> <li>"E" earlier document but published on or after the international filing date</li> <li>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</li> <li>"O" document referring to an oral disclosure, use, exhibition or other means</li> <li>"P" document published prior to the international filing date but later than the priority date claimed</li> </ul>	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
7 September 2000	13/09/2000
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo nl, Fax: (+31–70) 340–3016	Taccoen, J-F



Category °	ation) DOCUMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
category °	Citation of document, with indication, where appropriate, of the relevant passages	relevant to claim No.
A	EP 0 378 917 A (NIPPON SHEET GLASS) 25 July 1990 (1990-07-25) cited in the application	
A	US 4 668 270 A (RAMUS) 26 May 1987 (1987-05-26) cited in the application	

1

ion on patent family members

ational Application No					
PCT/EP	00/04199				

	atent document d in search report		Publication date		Patent family member(s)	,	Publication date
US	5012255	A	30-04-1991	DE	38084	01 A	21-09-1989
				DE	589045		08-07-1993
				ΕP	03328		20-09-1989
				ES	20439	14 T	01-01-1994
DE	19513263	 A	10-10-1996	WO	96319	18 A	10-10-1996
				EP	07643	50 A	26-03-1997
US	5898407	 A	27-04-1999	DE	195324	31 A	06-03-1997
		• •		ĀŤ		19 T	15-06-2000
				DE	596053		06-07-2000
				EP	07605	37 A	05-03-1997
				JP	91751	66 A	08-07-1997
EP	0726232	 А	14-08-1996	_ <b></b> DE	195038	92 C	24-10-1996
		• •	•	DE	696018		29-04-1999
				DE	696018	19 T	21-10-1999
				ES	21328	47 T	16-08-1999
				JP	82509	15 A	27-09-1996
				US	58671	29 A	02-02-1999
EP	0378917	 А	25-07-1990	 JP	22586	55 A	19-10-1990
		-		CA	20056		16-06-1990
US	4668270	 А	26-05-1987	CA	12755	63 A	30-10-1990
_				EP	02635		13-04-1988

### PALENT COOPERATION TREATY

## From the INTERNATIONAL BUREAU **PCT** Commissioner NOTIFICATION OF ELECTION **US Department of Commerce** United States Patent and Trademark Office, PCT (PCT Rule 61.2) 2011 South Clark Place Room CP2/5C24 Arlington, VA 22202 **ETATS-UNIS D'AMERIQUE** Date of mailing: in its capacity as elected Office 30 November 2000 (30.11.00) International application No.: Applicant's or agent's file reference: WO 4223 PCT PCT/EP00/04199 International filing date: Priority date: 01 May 2000 (01.05.00) 20 May 1999 (20.05.99) Applicant: DEGAND, Etienne et al 1. The designated Office is hereby notified of its election made: X in the demand filed with the International preliminary Examining Authority on: 12 August 2000 (12.08.00)

	in a no	tice effecting	later election file	d with the Inter	national Burea	u on:		÷,
	· • • .	. •				-		* • • • • • •
2.	The election	X was						
		was	not					
	made before Rule 32.2(b).	the expiratio	n of 19 months fr	om the priority	date or, where	Rule 32 applie	s, within the time	e limit under
				•				
<u> </u>								

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer:

J. Zahra

Facsimile No.: (41-22) 740.14.35

Telephone No.: (41-22) 338.83.38